Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTALXS1617

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	4	MAY 10	CA/CAplus enhanced with 1900-1906 U.S. patent records
NEWS	5	MAY 11	KOREAPAT updates resume
NEWS	6	MAY 19	Derwent World Patents Index to be reloaded and enhanced
NEWS	7	MAY 30	IPC 8 Rolled-up Core codes added to CA/CAplus and USPATFULL/USPAT2
NEWS	8	MAY 30	The F-Term thesaurus is now available in CA/CAplus
NEWS	9	JUN 02	The first reclassification of IPC codes now complete in INPADOC
NEWS	10	JUN 26	TULSA/TULSA2 reloaded and enhanced with new search and and display fields
NEWS	11	JUN 28	Price changes in full-text patent databases EPFULL and PCTFULL
NEWS	12	JUl 11	CHEMSAFE reloaded and enhanced
NEWS	13	JUl 14	FSTA enhanced with Japanese patents
NEWS	14	JUl 19	Coverage of Research Disclosure reinstated in DWPI
NEWS	15	AUG 09	INSPEC enhanced with 1898-1968 archive
NEWS	16	AUG 28	ADISCTI Reloaded and Enhanced
NEWS	17	AUG 30	CA(SM)/CAplus(SM) Austrian patent law changes
NEWS	18	SEP 11	CA/CAplus enhanced with more pre-1907 records
NEWS	19	SEP 21	CA/CAplus fields enhanced with simultaneous left and right truncation
NEWS	20	SEP 25	CA(SM)/CAplus(SM) display of CA Lexicon enhanced
NEWS	21	SEP 25	CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS	22	SEP 25	CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS	23	SEP 28	CEABA-VTB classification code fields reloaded with new classification scheme

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8
NEWS X25	X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

```
FILE 'HOME' ENTERED AT 17:09:10 ON 13 OCT 2006

=> file reg
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILE 'REGISTRY' ENTERED AT 17:09:36 ON 13 OCT 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   12 OCT 2006  HIGHEST RN 910292-60-3
DICTIONARY FILE UPDATES:  12 OCT 2006  HIGHEST RN 910292-60-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> s singulair/cn
L1            1 SINGULAIR/CN

=> s zafirlucast/cn
L2            0 ZAFIRLUCAST/CN

=> s zafirlucast
              0 ZAFIRLUCAST
L3            0 ZAFIRLUCAST

=> s zafirlucast
              0 ZAFIRLUCAST
L4            0 ZAFIRLUCAST

=> s zafirlukast
L5            3 ZAFIRLUKAST

=> s zafirlukast/cn
L6            1 ZAFIRLUKAST/CN

=> file medicine
FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                        29.88      30.09

FILE 'ADISCTI' ENTERED AT 17:11:15 ON 13 OCT 2006
COPYRIGHT (C) 2006 Adis Data Information BV

FILE 'ADISINSIGHT' ENTERED AT 17:11:15 ON 13 OCT 2006
COPYRIGHT (C) 2006 Adis Data Information BV

FILE 'ADISNEWS' ENTERED AT 17:11:15 ON 13 OCT 2006
```

FILE 'BIOSIS' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'BIOTECHNO' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'CAPLUS' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'DDFB' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'DDFU' ACCESS NOT AUTHORIZED

FILE 'DGENE' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'DISSABS' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'DRUGB' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'DRUGMONOG2' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'DRUGU' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'EMBAL' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'EMBASE' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'ESBIOBASE' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'IFIPAT' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'IMSDRUGNEWS' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'IMSPRODUCT' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'IPA' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'JICST-EPLUS' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'KOSMET' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'LIFESCI' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'MEDLINE' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'NAPRALERT' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'NLDB' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'NUTRACEUT' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'PASCAL' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'PCTGEN' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'PHARMAML' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'PHIC' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'PHIN' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'SCISEARCH' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'TOXCENTER' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'USPATFULL' ENTERED AT 17:11:15 ON 13 OCT 2006

FILE 'USPAT2' ENTERED AT 17:11:15 ON 13 OCT 2006

=> periodic fever syndrome
PERIODIC IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> s periodic fever syndrome
  31 FILES SEARCHED...
L7   1100 PERIODIC FEVER SYNDROME

=> s l7 and l6
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE

```
L8            0 L7 AND L6

=> s l7 and l1
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
'CN' IS NOT A VALID FIELD CODE
L9            0 L7 AND L1

=> s l7 and leukotriene receptor
  23 FILES SEARCHED...
L10           9 L7 AND LEUKOTRIENE RECEPTOR

=> rem dup
DUP IS NOT VALID HERE
The DELETE command is used to remove various items stored by the
system.

To delete a saved query, saved answer set, saved L-number list, SDI
request, batch request, mailing list, or user-defined cluster, format,
or search field, enter the name.  The name may include ?  for left,
right, or simultaneous left and right truncation.

Examples:

  DELETE BIO?/Q           - delete query names starting with BIO
  DELETE ?DRUG/A          - delete answer set names ending with DRUG
  DELETE ?ELEC?/L         - delete L-number lists containing ELEC
  DELETE ANTICOAG/S       - delete SDI request
  DELETE ENZYME/B         - delete batch request
  DELETE .MYCLUSTER       - delete user-defined cluster
  DELETE .MYFORMAT        - delete user-defined display format
  DELETE .MYFIELD         - delete user-defined search field
  DELETE NAMELIST MYLIST - delete mailing list

To delete an ordered document or an offline print, enter its
number.

Examples:

  DELETE P123001C         - delete print request
  DELETE D134002C         - delete document order request

To delete an individual L-number or range of L-numbers, enter the
L-number or L-number range.  You may also enter DELETE LAST followed
by a number, n, to delete the last n L-numbers.  RENUMBER or
NORENUMBER may also be explicitly specified to override the value of
SET RENUMBER.

Examples:

  DELETE L21              - delete a single L-number
  DELETE L3-L6            - delete a range of L-numbers
  DELETE LAST 4           - delete the last 4 L-numbers
  DELETE L33-             - delete L33 and any higher L-number
  DELETE -L55             - delete L55 and any lower L-number
```

```
  DELETE L2-L6 RENUMBER - delete a range of L-numbers and
                          renumber remaining L-numbers
  DELETE RENUMBER       - renumber L-numbers after deletion of
                          intermediate L-numbers

Entire sets of saved items, SDI requests, batch requests, user-defined
items, or E-numbers can be deleted.

Examples:

  DELETE SAVED/Q - delete all saved queries
  DELETE SAVED/A - delete all saved answer sets
  DELETE SAVED/L - delete all saved L-number lists
  DELETE SAVED   - delete all saved queries, answer sets,
                   and L-number lists
  DELETE SAVED/S - delete all SDI requests
  DELETE SAVED/B - delete all batch requests
  DELETE CLUSTER - delete all user-defined clusters
  DELETE FORMAT  - delete all user-defined display formats
  DELETE FIELD   - delete all user-defined search fields
  DELETE SELECT  - delete all E-numbers
  DELETE HISTORY - delete all L-numbers and restart the
                   session at L1

To delete an entire multifile SDI request, enter DELETE and
the name of the request.  To delete a component from the
multifile SDI, enter DELETE and the name of the component.

=> dup rem
ENTER L# LIST OR (END):l10
DUPLICATE IS NOT AVAILABLE IN 'ADISINSIGHT, ADISNEWS, DGENE, DRUGMONOG2,
IMSPRODUCT, KOSMET, NUTRACEUT, PCTGEN, PHARMAML'.
ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE
PROCESSING COMPLETED FOR L10
L11            2 DUP REM L10 (7 DUPLICATES REMOVED)

=> d l11 1-2 bib, ab

L11   ANSWER 1 OF 2  BIOTECHNO  COPYRIGHT 2006 Elsevier Science B.V. on STN
      DUPLICATE
AN    2002:36526654   BIOTECHNO
TI    Overt and occult rheumatic diseases: The child with chronic fever
AU    Frenkel J.; Kuis W.
CS    Dr. J. Frenkel, Department of General Pediatrics, Wilhelmina Children's
      Hospital, University Medical Center Utrecht, P.O. Box 85090, 3580AB
      Utrecht, Netherlands.
SO    Bailliere's Best Practice and Research in Clinical Rheumatology, (2002),
      16/3 (443-469), 80 reference(s)
      CODEN: BBPRFF  ISSN: 1521-6942
DT    Journal; General Review
CY    United Kingdom
LA    English
SL    English
AB    Identification of the genes involved in hereditary periodic
      fever syndromes has led to the recognition of a new
      pathophysiological category, the autoinflammatory disorders. The main
      non-hereditary autoinflammatory disease in childhood is systemic juvenile
      idiopathic arthritis (sJIA), others being the chronic infantile
      neurological cutaneous arthropathy (CINCA) syndrome and the periodic
      fever, aphthous stomatitis, pharyngitis and adenopathy (PFAPA) syndrome.
      Familial Mediterranean fever (FMF) has been traced to mutations in the
      MEFV gene. Mutations in the MVK gene, encoding the enzyme mevalonate
      kinase, cause the hyper-IgD periodic fever
      syndrome (HIDS). The tumour necrosis factor(TNF)-receptor-
      associated periodic syndromes (TRAPS) have been linked to mutations in
```

the TNFRSFIA gene, encoding a TNF-α receptor, and the CIASI gene is mutated in familial cold autoinflammatory syndrome. We discuss how this knowledge has influenced diagnosis and treatment of these rare genetic disorders and how it might change our approach to the more common rheumatic diseases.

L11 ANSWER 2 OF 2 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
DUPLICATE 2
AN 2001:423321 BIOSIS
DN PREV200100423321
TI Increased urinary leukotriene E4 during febrile attacks in the hyperimmunoglobulinaemia D and periodic fever syndrome.
AU Frenkel, J. [Reprint author]; Willemsen, M. A. A. P.; Weemaes, C. M. R.; Dorland, L.; Mayatepek, E.
CS Department of General Pediatrics, Wilhelmina Children's Hospital, University Medical Center Utrecht, KE.04.133.1, 3580AB, Utrecht, Netherlands
j.frenkel@wkz.azu.nl
SO Archives of Disease in Childhood, (August, 2001) Vol. 85, No. 2, pp. 158-159. print.
CODEN: ADCHAK. ISSN: 0003-9888.
DT Article
LA English
ED Entered STN: 5 Sep 2001
Last Updated on STN: 22 Feb 2002
AB Background-The hyperimmunoglobulinaemia D and periodic fever syndrome is a hereditary periodic fever, caused by deficiency of the enzyme mevalonate kinase. It is unclear how this defect leads to recurrent fever episodes. Aim-To assess the involvement of cysteinyl leukotrienes in the pathogenesis of fever attacks as reflected by urinary leukotriene E4 (LTE4) excretion. Methods-Urinary LTE4 was measured in seven patients while febrile and afebrile. Results-LTE4 was raised during fever in all subjects (46-199 nmol/mol creatinine, mean 92; normal <40). Urinary LTE4 was normal between attacks, as well as in normal children with fever as a result of miscellaneous causes. Conclusion-Our results suggest that cysteinyl leukotrienes play a role in the pathophysiology of this disorder. As no effective treatment is yet available, leukotriene receptor antagonists might offer a new therapeutic approach for patients with the hyperimmunoglobulinaemia D and periodic fever syndrome.

=> d l11 1 kwic

L11 ANSWER 1 OF 2 BIOTECHNO COPYRIGHT 2006 Elsevier Science B.V. on STN
DUPLICATE
AB Identification of the genes involved in hereditary periodic fever syndromes has led to the recognition of a new pathophysiological category, the autoinflammatory disorders. The main non-hereditary autoinflammatory disease in childhood. . . traced to mutations in the MEFV gene. Mutations in the MVK gene, encoding the enzyme mevalonate kinase, cause the hyper-IgD periodic fever syndrome (HIDS). The tumour necrosis factor(TNF)-receptor-associated periodic syndromes (TRAPS) have been linked to mutations in the TNFRSFIA gene, encoding a TNF-α. . .
CT. . . arthritis; periodic fever aphthous stomatitis pharyngitis and adenopathy syndrome; prognosis; tonsillectomy; familial Mediterranean fever; gene mutation; genetic code; hyperimmunoglobulinemia D periodic fever syndrome; clinical feature; genetic disorder; inflammatory disease; autoimmune disease; common cold; epidemiological data; abdominal cramp; diarrhea; vomiting; adenoidectomy; tumor necrosis factor. . . colchicine; nonsteroid antiinflammatory agent; corticosteroid; hydroxymethylglutaryl coenzyme A reductase

inhibitor; hypocholesterolemic agent; interleukin 6 antibody; tumor necrosis factor alpha antibody; leukotriene receptor blocking agent; prednisolone; etanercept; steroid; infliximab; cimetidine; prednisone; interleukin 6; perforin; antirheumatic agent; salazosulfapyridine; methotrexate; cytostatic agent; unclassified drug

=> logg off
LOGG IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> log off
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y
STN INTERNATIONAL LOGOFF AT 17:14:44 ON 13 OCT 2006